

## PharmLabs San Diego Certificate of Analysis

## Sample Red Eyes Watermelon



Delta9 THC 0.16% THCa ND Total THC (THCa \* 0.877 + THC) 0.16% Delta8 THC <LOQ

Sample ID	SD250411-018 (111639)	Matrix	Edible
Tested for	Southern Hemp		
Sampled -	Received Apr 10, 2025	Reported Apr 23, 2025	
Analyses executed	MICX, FP-IO20	Unit Mass (g) 24.8	Num. of Servings 8
			Serving Size (g) 3.1

## CANx - Cannabinoids

Analyzed Feb 26, 2025 | Instrument HPLC-VWD | Method SOP-001

The expanded Uncertainty of the Cannabinoids analysis is approximately  $\pm 7.81\%$  at the 95% Confidence Level

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g	Result mg/Serving	Result mg/Unit
11-Hydroxy- $\Delta$ 8-Tetrahydrocannabivarin (11-Hyd- $\Delta$ 8-THCV)	0.013	0.041	ND	ND	ND	ND
Cannabidiol (CBD)	0.006	0.02	ND	ND	ND	ND
Abnormal Cannabidiol (a-CBDO)	0.013	0.038	ND	ND	ND	ND
(+/-)-9 $\beta$ -hydroxy-Hexahydrocannabinol (9 $\beta$ -HHC)	0.015	0.045	ND	ND	ND	ND
11-Hydroxy- $\Delta$ 8-Tetrahydrocannabinol (11-Hyd- $\Delta$ 8-THC)	0.015	0.045	ND	ND	ND	ND
Cannabidiolic Acid (CBDA)	0.033	0.16	ND	ND	ND	ND
Cannabigerol Acid (CBGA)	0.033	0.16	ND	ND	ND	ND
Cannabigerol (CBG)	0.048	0.16	ND	ND	ND	ND
Cannabidiol (CBD)	0.069	0.229	0.35	3.53	10.94	87.54
1(S)-Tetrahydrocannabidiol (1(S)-H4-CBD)	0.008	0.026	ND	ND	ND	ND
1(R)-Tetrahydrocannabidiol (1(R)-H4-CBD)	0.016	0.049	ND	ND	ND	ND
Tetrahydrocannabivarin (THCV)	0.049	0.162	<LOQ	<LOQ	<LOQ	<LOQ
$\Delta$ 8-tetrahydrocannabivarin ( $\Delta$ 8-THCV)	0.012	0.036	<LOQ	<LOQ	<LOQ	<LOQ
Cannabidihexol (CBDH)	0.014	0.042	ND	ND	ND	ND
Tetrahydrocannabutol ( $\Delta$ 9-THCB)	0.01	0.029	ND	ND	ND	ND
Cannabinol (CBN)	0.047	0.16	0.30	2.99	9.27	74.15
Cannabidiphorol (CBDP)	0.016	0.049	ND	ND	ND	ND
exo-THC (exo-THC)	0.016	0.8	ND	ND	ND	ND
Tetrahydrocannabinol ( $\Delta$ 9-THC)	0.092	0.307	0.16	1.55	4.80	38.44
$\Delta$ 8-tetrahydrocannabinol ( $\Delta$ 8-THC)	0.044	0.16	<LOQ	<LOQ	<LOQ	<LOQ
(6aR,9S)- $\Delta$ 10-Tetrahydrocannabinol ((6aR,9S)- $\Delta$ 10)	0.015	0.8	ND	ND	ND	ND
Hexahydrocannabinol (S Isomer) (9 $\alpha$ -HHC)	0.017	0.8	ND	ND	ND	ND
(6aR,9R)- $\Delta$ 10-Tetrahydrocannabinol ((6aR,9R)- $\Delta$ 10)	0.007	0.8	ND	ND	ND	ND
Hexahydrocannabinol (R Isomer) (9 $\beta$ -HHC)	0.016	0.8	ND	ND	ND	ND
Tetrahydrocannabinolic Acid (THCA)	0.117	0.389	ND	ND	ND	ND
$\Delta$ 9-Tetrahydrocannabihexol ( $\Delta$ 9-THCH)	0.02	0.061	ND	ND	ND	ND
Cannabinol Acetate (CBNO)	0.009	0.027	ND	ND	ND	ND
9(S)-Hexahydrocannabinolic Acid (9(S)-HHCo)	0.063	0.065	ND	ND	ND	ND
9(R)-Hexahydrocannabinolic Acid (9(R)-HHCo)	0.191	0.196	ND	ND	ND	ND
$\Delta$ 9-Tetrahydrocannabiphorol ( $\Delta$ 9-THCP)	0.017	0.8	ND	ND	ND	ND
$\Delta$ 8-Tetrahydrocannabiphorol ( $\Delta$ 8-THCP)	0.041	0.8	ND	ND	ND	ND
Cannabicitran (CBT)	0.005	0.16	ND	ND	ND	ND
$\Delta$ 8-THC-O-acetate ( $\Delta$ 8-THCO)	0.076	0.8	ND	ND	ND	ND
9(S)-HHCP (s-HHCP)	0.013	0.041	ND	ND	ND	ND
$\Delta$ 9-THC-O-acetate ( $\Delta$ 9-THCO)	0.066	0.8	ND	ND	ND	ND
9(R)-HHCP (r-HHCP)	0.015	0.045	ND	ND	ND	ND
9(S)-HHC-O-acetate (s-HHCO)	0.037	0.112	ND	ND	ND	ND
9(R)-HHC-O-acetate (r-HHCO)	0.031	0.093	ND	ND	ND	ND
3-octyl- $\Delta$ 8-Tetrahydrocannabinol ( $\Delta$ 8-THC-C8)	0.021	0.062	ND	ND	ND	ND
Total THC (THCa * 0.877 + $\Delta$ 9THC)			0.16	1.55	4.80	38.44
Total THC + $\Delta$ 8THC + $\Delta$ 10THC ( THCa * 0.877 + $\Delta$ 9THC + $\Delta$ 8THC + $\Delta$ 10THC )			0.16	1.55	4.80	38.44
Total CBD ( CBDo * 0.877 + CBD )			0.35	3.53	10.94	87.54
Total CBG ( CBGa * 0.877 + CBG )			ND	ND	ND	ND
Total HHC ( 9 $\alpha$ -HHC + 9 $\beta$ -HHC )			ND	ND	ND	ND
Total Cannabinoids Analyzed			0.81	8.07	25.02	200.14

## HME - Heavy Metals

Analyzed Apr 20, 2025 | Instrument ICP/MSMS | Method SOP-005

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Arsenic (As)	0.0009	0.0027	ND	1.5
Cadmium (Cd)	0.0005	0.0015	ND	0.5
Mercury (Hg)	0.0058	0.0174	ND	3
Lead (Pb)	0.0006	0.0018	ND	0.5

UI Unidentified  
 ND Not Detected  
 N/A Not Applicable  
 NT Not Reported  
 LOD Limit of Detection  
 LOQ Limit of Quantification  
 <LOQ Detected  
 >ULOL Above upper limit of linearity  
 CFU/g Colony Forming Units per 1 gram  
 TNTC Too Numerous to Count



DEA license: RPO611043  
 ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

 Brandon Starr, Quality Assurance Manager  
 Wed, 23 Apr 2025 14:48:47 -0700


PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368

PharmLabs hereby states that its Certificates of Analysis (COA) do not certify compliance with any federal, state, or local law or regulation, including but not limited to the 2018 Form Bill. This COA is provided solely for informational purposes and is not intended for reliance by consumers or patients. The COA is issued for the specific product and lot number identified on this COA and do not represent any other lot, batch, or product from the client. Measurement of uncertainty is available upon request and, when legally required, has been reported on the certificate. PharmLabs makes no representation or warranty, express or implied, as to the quality, safety, or effectiveness of the product. The COA is issued for the specific product and lot number identified on the COA and is not valid for any other product or lot number. PharmLabs does not assume any responsibility for errors, omissions, or misrepresentations in such information. It is the sole responsibility of the client to determine and ensure the compliance of their product(s) with all applicable federal, state, and local laws and regulations. This COA may not be used in whole or in part for marketing, advertising, promotional, or labeling purposes without the prior written consent of PharmLabs. The COA is valid for the date of issuance and does not guarantee the stability or continued conforming of the tested product beyond that date. Any disputes arising out of or related to this COA shall be governed by the laws of the State of California, without regard to its conflict of laws principles.

## MIBIG - Microbial

Analyzed Apr 14, 2025 | Instrument Plating | Method SOP-007

Analyte	LOD CFU/g	LOQ CFU/g	Result CFU/g	Limit CFU/g
Shiga toxin-producing Escherichia Coli	1.0	1.0	ND	1
Salmonella spp.	1.0	1.0	ND	1
Aspergillus fumigatus	1.0	1.0	ND	1
Aspergillus flavus	1.0	1.0	ND	1
Aspergillus niger	1.0	1.0	ND	1
Aspergillus terreus	1.0	1.0	ND	1

## MTO - Mycotoxin

Analyzed Apr 18, 2025 | Instrument LC/MSMS | Method SOP-004

Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg	Limit ug/kg	Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg	Limit ug/kg
Ochratoxin A	5.0	20.0	ND	20	Aflatoxin B1	2.5	5.0	ND	-
Aflatoxin B2	2.5	5.0	ND	-	Aflatoxin G1	2.5	5.0	ND	-
Aflatoxin G2	2.5	5.0	ND	-	Total Aflatoxins	10.0	20.0	ND	20

UI Unidentified  
 ND Not Detected  
 N/A Not Applicable  
 NT Not Reported  
 LOD Limit of Detection  
 LOQ Limit of Quantification  
 <LOQ Detected  
 >ULOL Above upper limit of linearity  
 CFU/g Colony Forming Units per gram  
 TNTC Too Numerous to Count



DEA license: RP0611043  
 ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

*Brandon Starr*

Brandon Starr, Quality Assurance Manager  
 Wed, 23 Apr 2025 14:48:47 -0700



PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368  
 PharmLabs hereby states that its Certificates of Analysis (COA) do not certify compliance with any federal, state, or local law or regulation, including but not limited to the 2018 Form Bill. This COA is provided solely for informational purposes and is not intended for reliance by any party. The results are based on the sample(s) analyzed and are not applicable to any other sample(s) or product(s) not specifically identified on this COA and do not represent any other lot, batch, or product from the client. Measurement of uncertainty is available upon request and, when legally required, has been reported on the certificate. PharmLabs makes no representation or warranty, express or implied, as to the quality of the sample(s) or product(s) analyzed or the results of the analysis. PharmLabs is not responsible for costs associated with any non-compliance with any federal, state, or local law or regulation. PharmLabs relieves the client of responsibility for any non-compliance with any federal, state, or local law or regulation. PharmLabs does not guarantee the accuracy of the results or the COA. This COA is valid from the date of issuance and does not guarantee the stability or continued conformance of the tested product beyond that date. Any disputes arising out of or related to this COA shall be governed by the laws of the State of California, without regard to its conflict of laws principles.

## PES - Pesticides

Analyzed Apr 22, 2025 | Instrument LC/MSMS GC/MSMS | Method SOP-003

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Aldicarb	0.01	0.02	ND		Carbofuran	0.01	0.02	ND	
Dimethoate	0.01	0.02	ND		Etofenprox	0.02	0.1	ND	
Fenoxycarb	0.01	0.02	ND		Thiachloroprid	0.01	0.02	ND	
Daminozide	0.01	0.03	ND		Dichlorvos	0.02	0.07	ND	
Imazalil	0.02	0.07	ND		Methiocarb	0.01	0.02	ND	
Spiroxamine	0.01	0.02	ND		Coumaphos	0.01	0.02	ND	
Fipronil	0.01	0.1	ND		Paclbutrazol	0.01	0.03	ND	
Chlorpyrifos	0.01	0.04	ND		Ethoprophos (Prophos)	0.01	0.02	ND	
Baygon (Propoxur)	0.01	0.02	ND		Chlordane	0.04	0.1	ND	
Chlорfenopyr	0.03	0.1	ND		Methyl Parathion	0.02	0.1	ND	
Mevinphos	0.03	0.08	ND		Abamectin	0.03	0.08	ND	
Acephate	0.02	0.05	ND		Acetamiprid	0.01	0.05	ND	
Azoxystrobin	0.01	0.02	ND		Bifenazate	0.01	0.05	ND	
Bifenthrin	0.02	0.35	ND		Boscalid	0.01	0.03	ND	
Carbaryl	0.01	0.02	ND		Chlorantraniliprole	0.01	0.04	ND	
Clofentezine	0.01	0.03	ND		Diazinon	0.01	0.02	ND	
Dimethomorph	0.02	0.06	ND		Etoxazole	0.01	0.05	ND	
Fenpyroximate	0.02	0.1	ND		Flonicamid	0.01	0.02	ND	
Fludioxonil	0.01	0.05	ND		Hexythiazox	0.01	0.03	ND	
Imidacloprid	0.01	0.05	ND		Kresoxim-methyl	0.01	0.03	ND	
Malathion	0.01	0.05	ND		Metolaxyl	0.01	0.02	ND	
Methomyl	0.02	0.05	ND		Myclobutanil	0.02	0.07	ND	
Naled	0.01	0.02	ND		Oxamyl	0.01	0.02	ND	
Permethrin	0.01	0.02	ND		Phosmet	0.01	0.02	ND	
Piperonyl Butoxide	0.02	0.06	ND		Propiconazole	0.03	0.08	ND	
Prallethrin	0.02	0.05	ND		Pyrethrin	0.05	0.41	ND	
Pyridaben	0.02	0.07	ND		Spinosad A	0.01	0.05	ND	
Spinosad D	0.01	0.05	ND		Spromesifen	0.02	0.06	ND	
Spirotetramat	0.01	0.02	ND		Tebuconazole	0.01	0.02	ND	
Thiamethoxam	0.01	0.02	ND		Trifloxystrobin	0.01	0.02	ND	
Acequinocyl	0.02	0.09	ND		Captan	0.01	0.02	ND	
Cypermethrin	0.02	0.1	ND		Cyfluthrin	0.04	0.1	ND	
Fenheximid	0.02	0.07	ND		Spinetoram J,L	0.02	0.07	ND	
Pentachloronitrobenzene	0.01	0.1	ND						

## RES - Residual Solvents

Analyzed Apr 16, 2025 | Instrument GC/FID with Headspace Analyzer | Method SOP-006

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Propane (Prop)	0.044	0.4	ND	5000	Butane (But)	0.02	0.4	ND	5000
Methanol (Metho)	1.176	3.92	<LOQ	3000	Ethylene Oxide (EthOx)	0.08	0.4	ND	1
Pentane (Pen)	0.024	0.4	ND	5000	Ethanol (Ethan)	0.048	0.4	ND	5000
Ethyl Ether (EthEt)	0.036	0.4	ND	5000	Acetone (Acet)	0.044	0.4	<LOQ	5000
Isopropanol (2-Pro)	1.16	3.868	<LOQ	5000	Acetonitrile (Acetonit)	0.888	2.952	<LOQ	410
Methylene Chloride (MetCh)	0.04	0.4	ND	1	Hexane (Hex)	0.012	0.4	51.6	290
Ethyl Acetate (EthAc)	0.032	0.4	ND	5000	Chloroform (Clo)	0.028	0.4	ND	1
Benzene (Ben)	0.012	0.4	ND	1	1-2-Dichloroethane (12-Dich)	0.024	0.4	ND	1
Heptane (Hep)	0.012	0.4	ND	5000	Trichloroethylene (TriClEth)	0.072	0.4	ND	1
Toluene	0.036	0.4	<LOQ	890	Xylenes (Xyl)	0.012	0.4	ND	2170

## FVI - Filth &amp; Foreign Material Inspection

Analyzed Apr 11, 2025 | Instrument Microscope | Method SOP-010

Analyte / Limit	Result	Analyte / Limit	Result
>1/4 of the total sample area covered by sand, soil, cinders, or dirt	Negative	>1/4 of the total sample area covered by mold	Negative
>1 insect fragment, 1 hair, or 1 count mammalian excreta per 3g	Negative	>1/4 of the total sample area covered by an imbedded foreign material	Negative

## MWA - Moisture Content &amp; Water Activity

Analyzed Apr 11, 2025 | Instrument Chilled-mirror Dewpoint and Capacitance | Method SOP-008

Analyte	LOD $\alpha_w$	LOQ $\alpha_w$	Result	Limit	Analyte	LOD % M/w	LOQ % M/w	Result	Limit
Water Activity (WA)	0.03	0.03	0.52 $\alpha_w$	0.85 $\alpha_w$	Moisture (Moi)	0.0	0.0	7.3 % Mw	13 % Mw

## MICx - Microbial X

Analyzed Apr 14, 2025 | Instrument Plating | Method SOP-007

Analyte	LOD CFU/G	LOQ CFU/G	Result CFU/G	Limit CFU/G
Total Yeast & Molds (TYM)	1.0	1.0	ND	
Listeria (LIS)	1.0	1.0	ND	
Gram Negative Bacteria (BTGN)	1.0	1.0	ND	
Total Viable Aerobic Bacteria (TVAB)	1.0	1.0	ND	

UI Unidentified  
 ND Not Detected  
 N/A Not Applicable  
 NT Not Reported  
 LOD Limit of Detection  
 LOQ Limit of Quantification  
 <LOQ Detected  
 >ULOL Above upper limit of linearity  
 CFU/g Colony Forming Units per 1 gram  
 TNTC Too Numerous to Count



DEA license: RPO611043  
 ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

*Brandon Starr*

Brandon Starr, Quality Assurance Manager  
 Wed, 23 Apr 2025 14:48:47 -0700



PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368  
 PharmLabs hereby states that its Certificates of Analysis (COA) do not certify compliance with any federal, state, or local law or regulation, including but not limited to the 2018 Form Bill. This COA is provided solely for informational purposes and is not intended for reliance by any party. The results are based on the samples submitted to PharmLabs and do not represent any other lot, batch, or product from the client. Measurement of uncertainty is available upon request and, when legally required, has been reported on the certificate. PharmLabs makes no representation or warranty, express or implied, as to the quality of the product or its compliance with any applicable laws or regulations. The client is responsible for all costs associated with the analysis, including shipping of samples to and from PharmLabs. PharmLabs retains the right to refuse any sample. PharmLabs relies on information provided by the client regarding the identity, sampling, and chain of custody of the submitted material. PharmLabs assumes no responsibility for errors, omissions, or misrepresentations in such information. It is the sole responsibility of the client to determine and ensure the compliance of their product(s) with all applicable federal, state, and local laws and regulations. This COA may not be used in whole or in part for marketing, advertising, promotional, or labeling purposes without the prior written consent of PharmLabs. This COA is valid for one year from the date of issuance and does not guarantee the stability or continued conforming of the tested product beyond that date. Any disputes arising out of or related to this COA shall be governed by the laws of the State of California, without regard to its conflict of laws principles.