



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

1 of 1

Alien Head Watermelon 128mg

Sample ID: 2608NBL1393.3810

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 08/06/2026

Completed: 08/07/2026

Expires: 08/07/2027

External Lot ID:

Batch#:

Client

SH Mfg., LLC

Lic. #

11800 Industriplex Blvd., STE 8 Baton Rouge, LA 70809

(225) 449-2017 lasouthernhemp@gmail.com



Summary

Test
Cannabinoids

Date Tested
08/07/2026

Result
Complete

Cannabinoids

Complete

146.077 mg/unit

Total Δ 9-THC

0.0290%

Δ 9-THC

ND

Total CBD

148.125 mg/unit

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL	%
(6aR,9R)-d10-THC	1.2591	1.889	ND	ND	ND
9R-HHC	1.2591	1.889	ND	ND	ND
(6aR,9S)-d10-THC	1.2591	1.889	ND	ND	ND
9S-HHC	1.2591	1.889	ND	ND	ND
CBC	1.2591	1.889	ND	ND	ND
CBCa	1.2591	1.889	ND	ND	ND
CBD	1.2591	1.889	ND	ND	ND
CBDa	1.2591	1.889	ND	ND	ND
CBDV	1.2591	1.889	ND	ND	ND
CBDVa	1.2591	1.889	ND	ND	ND
CBG	1.2591	1.889	ND	ND	ND
CBGa	1.2591	1.889	ND	ND	ND
CBN	1.2591	1.889	2.049	0.00434	0.000
CBNa	1.2591	1.889	ND	ND	ND
Δ 8-THC	1.2591	1.889	ND	ND	ND
Δ 9-THC	1.2591	1.889	146.077	0.30948	0.029
THCa	1.2591	1.889	ND	ND	ND
THCp	1.2591	1.889	ND	ND	ND
THCV	1.2591	1.889	ND	ND	ND
THCVa	1.2591	1.889	ND	ND	ND
Total THC			146.077	0.30948	0.029
Total CBD			ND	ND	ND
Total			148.125	0.31383	0.029

Date Tested: 08/07/2026

Density: 1 mL = 1.067 g; Unit Mass: 503.624 g; 1 Unit = 16 fl oz

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019

Total Δ 9-THC = THCa * 0.877 + Δ 9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; The decision rule is employed; the uncertainty measurement is not included in the reported result. The values for Measurement Uncertainty are available upon request.



Ashley N Phillips

Ashley Phillips
Laboratory Director
08/07/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.